

**G:B:D:**



**•MPS**

**CENTRAL GEARMOTORS  
FOR ROLLING SHUTTERS**





# MPS

## Central gearmotors for rolling shutters

A series of central gearmotors for rolling shutters with built-in limit switch.  
Power and reliability in one product.

The electro - brake kit can be easily installed.  
The operator is totally built in aluminium die-cast with the gear body made of steel.

Technical data	MPS 120	MPS 120E	MPS 160	MPS 160E	MPS 240	MPS 240E
motor power supply	● 230 Vac - 50/60 Hz	● 230 Vac - 50/60 Hz	● 230 Vac - 50/60 Hz	● 230 Vac - 50/60 Hz	● 230 Vac - 50/60 Hz	● 230 Vac - 50/60 Hz
power absorbed	460 W	460 W	630 W	630 W	630 W	630 W
absorbed current	2.2 A	2.2 A	2.7 A	2.7 A	2.7 A	2.7 A
motor torque	120 Nm	110 Nm	155 Nm	145 Nm	210 Nm	200 Nm
no. RPM	10	10	10	10	8	8
limit switch range	5/6	5/6	5/6	5/6	5/6	5/6
electro-brake	NO	YES	NO	YES	NO	YES
tube rolling	60 mm	60 mm	60 mm	60 mm	76 mm	76 mm
ring gear	200/220 mm	200/220 mm	200/220 mm	200/220 mm	240 mm	240 mm
lifting power	120 Kg	120 Kg	160Kg	160Kg	180 Kg	180 Kg
thermal cut out	4 min	4 min	4 min	4 min	4 min	4 min
operator weight	7 Kg	8 Kg	8 Kg	9 Kg	9 Kg	10 Kg

Accessories



 a **BANDINI INDUSTRIE** company



Associated

---



# GIBIDI

**GI.BI.DI. S.r.l.**

Via Abetone Brennero, 177/B  
46025 Poggio Rusco (MN) - ITALY  
Tel. +39.0386.52.20.11  
Fax +39.0386.52.20.31  
info@gibidi.com

[www.gibidi.com](http://www.gibidi.com)